



SKF FYT 1.15/16 RM bearing units

Bearing No. FYT 1.15/16 RM

FYT 1.15/16 RM Bearing 2D drawings and 3D CAD models

Bore Diameter	49,213 mm
Width	43 mm
d	49,213 mm
s1	32 mm
A1	43 mm
B	43 mm
G	14 mm
H	189 mm
J	157,2 mm
L	116 mm
N	15,9 mm
T	60,1 mm
A2	15 mm
Weight	2,1 Kg
Basic dynamic load rating (C)	35,1 kN
Basic static load rating (C0)	23,2 kN
Fatigue load limit (Pu)	0,98
Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	2.261
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block



Timken MANUFACTURING (THAILAND)CO.,LTD.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9/16 Inch
Relubricatable	Yes
Insert Part Number	YAT 210-115
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	2 Bolt Flange Block; 1-15/16" Bore; 6.2" Bolt Circle; 6-3/16" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 1-11/16" Length Thru Bore; Relubricatable; M Se
Other Features	Single Row Standard Duty Narrow Inner Race Open End Y Bearing
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FYT 1.15/16 RM
Weight / LBS	4.7
Bolt Spacing	6.188 Inch 157.175 Millimeter
Nominal Bolt Circle Diameter Round	6.2 Inch 157 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter



Timken MANUFACTURING (THAILAND)CO.,LTD.

Bore	1.938 Inch 49.225 Millimeter
Length Thru Bore	1.688 Inch 42.87 Millimeter